

RCYCLE

**MOTORCYCLE
ELECTRIC**
2022 EUROBIKE

Contact us

www.cybicsport.com
cybic@cybicsport.com
www.facebook.com/cybicsport

RCYCLE SPORT

RCYCLE



TABLE OF CONTENTS

INTRODUCING RCYCLE SPORT 01-02

MOTORCYCLE ELECTRIC 03-10

MINI MOTORCYCLE ELECTRIC 11-18

SCOOTER ELECTRIC 19-40

INTRODUCING RCYCLE SPORT

ABOUT US

Our core tasks involve bicycle design and trading. When completing our tasks, we always keep our main goal in mind — establishing sustainable relationships with customers across various countries by playing the game of quality and price, and playing it like no one else could.

Warehouse and logistic

Rcycle Sport set up warehouse in the Los Angeles, California, USA and Bucharest, Romania, Europe. It could provide flexible shipment schedule and arrangement. Customer could choose the best deal in different trade term as FOB, CIF, DAP and DDP (by air).

Production

We strongly believe that a bicycle should not just be a tool for sports, but also a form of self-expression. In order to provide best value to customer and ensure quality of product, Rcycle Sport build own production plant in Tianjin (China). Production facilities include frame and fork welding; liquid paint, powder paint and UV paint and assemble line. Additionally, Rcycle has contracted manufacture in South East Asian countries and European countries in order to help customer avoid extra tariff cost.

Quality Control and Guarantee

Rcycle Sport is directly involved in production flow. The process will be strictly followed as, 1) create initial sample check, 2) confirm sealed sample, 3) production schedule plan, 4) pre-production sample, 5) final production. Production schedule plan refers to detail schedule of frame & fork welding finish; decal; painting; part inspection, all detail will be recorded. Rcycle Sport will provide relative spare part according to product type and agreement with customer. Moreover, all products will have three-year quality assurance.

MOTORCYCLE ELECTRIC

DIMENSION	2030x780x1130MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM AD JUSTABLE ABSORBER

MOTORCYCLE ELECTRIC

DIMENSION	2000x780x1120MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM AD JUSTABLE ABSORBER

NE



DP



MOTORCYCLE ELECTRIC

DIMENSION	2080x780x1150MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM AD JUSTABLE ABSORBER

MOTORCYCLE ELECTRIC

DIMENSION	2080x780x1130MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM AD JUSTABLE ABSORBER

R3



YTM



MOTORCYCLE ELECTRIC

DIMENSION	1980x780x1130MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-70KM/H
MILEAGE	50-90KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM ADJUSTABLE ABSORBER

MOTORCYCLE ELECTRIC

DIMENSION	1990x780x1120MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM ADJUSTABLE ABSORBER

FE



DT



MOTORCYCLE ELECTRIC

DIMENSION	2030x780x1150MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM ADJUSTABLE ABSORBER

MOTORCYCLE ELECTRIC

DIMENSION	2030x780x1150MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W/8000W HUB MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
MILEAGE	50-180KM
BRAKES	F:DOUBLE DISC BRAKES R:SINGLE DISC BRAKES
TYRE	F:110-70-17 R:140-70-16 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:300MM ADJUSTABLE ABSORBER

RZ



YCR



DEVIL

MINI MOTORCYCLE ELECTRIC

DIMENSION	1900x780x1050MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W HUB/CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-150KM/H
RANGE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-14 R:130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER



M3s

MINI MOTORCYCLE ELECTRIC

DIMENSION	1820x750x1050MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W HUB/CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-100KM/H
RANCE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER



G6

MINI MOTORCYCLE ELECTRIC



DIMENSION	1850x750x1060MM
CONTROLLER	24 MOSFET CONTROLLER
MOTOR	2000W/3000W/5000W HUB /CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID
MAX SPEED	50-100KM/H
RANGE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120-70-12 R:130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER

MONSTER

MINI MOTORCYCLE ELECTRIC



DIMENSION	1830x750x1060MM
CONTROLLER	24 MOSFET CONTROLLER
MOTOR	2000W/3000W/5000W HUB/CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID BATTERY
MAX SPEED	50-100KM/H
RANGE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120-70-12 R:130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER

M6

MINI MOTORCYCLE ELECTRIC

DIMENSION	1910x750x1050MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W HUB/CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID BATTERY
MAX SPEED	50-100KM/H
RANGE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-14 R:130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER



M7

MINI MOTORCYCLE ELECTRIC

DIMENSION	1790x750x1050MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W HUB/CENTRAL MOTOR
BATTERY	72V LITHIUM/LEAD-ACID BATTERY
MAX SPEED	50-100KM/H
RANCE	50-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R130-70-12 VACUUM TYRE
SHOCK ABSORBER	F:INBERTED HYDRAULIC SHOCK ABSORBER R:ADJUSTABLE SPRING SHIOCK ABSORBER



A9**SCOOTER ELECTRIC**

DIMENSION	1850x780x1150MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER

**BQ****SCOOTER ELECTRIC**

DIMENSION	1890x750x1120MM
CONTROLLAER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



E9

SCOOTER ELECTRIC

DIMENSION	1880x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



BWS

SCOOTER ELECTRIC

DIMENSION	1820x720x1120MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



BG

SCOOTER ELECTRIC

DIMENSION	1880x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



CITYCOCO

SCOOTER ELECTRIC

DIMENSION	1720x580x900MM
CONTROLLER	60 SINE WAVE CONTROLLER
MOTOR	1000W MOTOR
BATTERY	60V LITHUM/LEAD-ACID BATTERY
SPEED	40KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



E8

SCOOTER ELECTRIC

DIMENSION	1890x750x1120MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/90-10 R:120/90-10 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



EAGLE

SCOOTER ELECTRIC

DIMENSION	1850x780x1150MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



GK

SCOOTER ELECTRIC

DIMENSION	1730x750x1050MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



GOGO

SCOOTER ELECTRIC

DIMENSION	1720x720x1100MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



JL**SCOOTER ELECTRIC**

DIMENSION	1850x780x1150MM
CONTROLLER	24 MOSFET
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER

**JOYOR****SCOOTER ELECTRIC**

DIMENSION	1780x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



LTW

SCOOTER ELECTRIC

DIMENSION	1880x700x1120MM
CONTROLLER	60/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/90-10 R:120/90-10 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



MAX

SCOOTER ELECTRIC

DIMENSION	1870x750x1120MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1500W/2000W HUB/CENTRAL MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



NO

SCOOTER ELECTRIC

DIMENSION	1780x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



SE

SCOOTER ELECTRIC

DIMENSION	1700x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



SUNNY

SCOOTER ELECTRIC

DIMENSION	1790x780x1150MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



SWAN

SCOOTER ELECTRIC

DIMENSION	1850x720x1120MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/90-10 R:120/90-10 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



T9

SCOOTER ELECTRIC

DIMENSION	2150x780x1150MM
CONTROLLER	24 MOSFET
MOTOR	2000W/3000W/5000W MOTOR
BATTERY	72V LITHUM/LEAD-ACID BATTERY
SPEED	50-150KM/H
RANGE	40-180KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-13 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



VESPA

SCOOTER ELECTRIC

DIMENSION	1990x750x1150MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	40-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER



Z6**SCOOTER ELECTRIC**

DIMENSION	1780x750x1070MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER

**ZM****SCOOTER ELECTRIC**

DIMENSION	1800x780x1150MM
CONTROLLER	60V/72V SINE WAVE CONTROLLER
MOTOR	1000W/1500W/2000W MOTOR
BATTERY	60V/72V LITHUM/LEAD-ACID BATTERY
SPEED	50-70KM/H
RANGE	40-100KM
BRAKES	F:DISC BRAKES R:DISC BRAKES
TYRE	F:120/70-12 R:120/70-12 VACUUM TYRE
SHOCK ABSORBER	F:HYDRAULIC SHOCK ABSORBER R:SPRING SHOCK ABSORBER

